

Message

---

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com]  
**Sent:** 9/9/2019 2:57:37 PM  
**To:** Baker, Lorie [Baker.Lorie@epa.gov]  
**Subject:** RE: Blades Groundwater Final QA Review Issues "Heads Up" List  
**Attachments:** Ref. 90 Town of Blades Land Use.pdf; drinkingwaterhealthadvisories\_pfoa\_pfos\_updated\_5.31.16.pdf; Blades Groundwater Plume HRS Documentation Record.Rev.1\_Annotated\_9\_4\_2019\_NS.docx

Hi Lorie,

I don't have any issues with their annotated doc record. I have responded to some comments and answered/asked some questions in track changes in comments to the doc record. I also list some below that I feel need to be clarified on how they want us to proceed.

Just some remarks to comments --

# Ex. 5 Deliberative Process (DP)

# Ex. 5 Deliberative Process (DP)

Let me know if you have any questions,

Nonresponsive based on revised scope

Principal Project Scientist  
Weston Solutions, Inc.

Nonresponsive based on revised scope

---

**From:** Baker, Lorie [mailto:Baker.Lorie@epa.gov]  
**Sent:** Monday, September 09, 2019 9:12 AM  
**To:** Nonresponsive based on revised scope @WestonSolutions.com>  
**Subject:** RE: Blades Groundwater Final QA Review Issues "Heads Up" List

**\*\* External Email \*\***

Just go through and make sure we concur, and note any additional references, etc.

Ex. 5 Deliberative Process (DP)

---

**From:** Nonresponsive based on revised scope @WestonSolutions.com>  
**Sent:** Monday, September 09, 2019 9:10 AM  
**To:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Subject:** RE: Blades Groundwater Final QA Review Issues "Heads Up" List

Hey Lorie,

You'd think I'd remember this but, am I supposed to go through and accept the redlined edits? Or just go through and make sure we concur?? I'm looking through now

Ex. 5 Deliberative Process (DP)

Nonresponsive based on revised scope

Principal Project Scientist  
Weston Solutions, Inc.

Nonresponsive based on revised scope

---

**From:** Baker, Lorie [mailto:Baker.Lorie@epa.gov]  
**Sent:** Wednesday, September 04, 2019 12:04 PM  
**To:** Nonresponsive based on revised scope @WestonSolutions.com>  
**Cc:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Subject:** FW: Blades Groundwater Final QA Review Issues "Heads Up" List

**\*\* External Email \*\***

Nonresponsive based on revised scope

Can you take a look and let me know what you think? I don't see anything more we can do with the Final QA review issues, but they haven't really pointed anything out as major issues, so not that concerned with them.

Please take a look at the redlined version and add any info where necessary. They gave us a date of Oct.3 to get everything back, but it shouldn't take that long to review.

Ex. 5 Deliberative Process (DP)

Thanks!

Lorie

**From:** [Nonresponsive based on revised scope]@gdit.com>  
**Sent:** Wednesday, September 04, 2019 11:49 AM  
**To:** Baker, Lorie <Baker.Lorie@epa.gov>; Jeng, Terry <Jeng.Terry@epa.gov>  
**Cc:** Wendel, Jennifer <Wendel.Jennifer@epa.gov>; [Nonresponsive based on revised scope]@mindspring.com; [Nonresponsive based on revised scope]@gdit.com>; [Nonresponsive based on revised scope]@skea.com>; [Nonresponsive based on revised scope]@gdit.com>  
**Subject:** Blades Groundwater Final QA Review Issues "Heads Up" List

Dear Lorie,

GDIT has completed final streamlined QA review of the Blades Groundwater (EPA ID No. DEN000304203) HRS package.

## Ex. 5 Deliberative Process (DP)

Also attached is an annotated HRS documentation record showing our suggested edits from final QA review. Ex. 5 Deliberative Process (DP)

## Ex. 5 Deliberative Process (DP)

references, we respectfully request that those changes be submitted to us on or before October 3, 2019, so that we may incorporate them into the HRS package and final QA review deliverable.

If you have any questions or would like to discuss any of the remaining issues, please do not hesitate ask.

[Nonresponsive based on revised scope]  
Environmental Scientist  
Federal Civilian Division

6361 Walker Lane, Suite 300  
Alexandria, VA 22310

[Nonresponsive based on revised scope]  
[www.gdit.com](http://www.gdit.com)

Working at Home Office: Wednesdays and Thursdays (unless otherwise noted).

**GENERAL DYNAMICS**  
Information Technology

ED\_005863\_00000412-00003

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.